ELSEVIER

Mechanisms of Development 61 (1997) 217–218

Author index

Volume 61 (1997)

Akimenko, M.-A., see Ellies, D.L. **61**, 23
Andreazzoli, M., see Casarosa, S. **61**, 187
Arendt, D., K. Nübler-Jung, Dorsal or ventral: similarities in fate maps and gastrulation patterns in annelids, arthropods and chordates **61**, 7

Barlow, D.P., see Lerchner, W. **61**, 141
Barsacchi, G., see Casarosa, S. **61**, 187
Beeman, R.W., see Brown, S.J. **61**, 165
Bell, J.R., see Dobias, S.L. **61**, 37
Bergeret, E., see Guichard, A. **61**, 49
Blumenstock, C., see Meersseman, G. **61**, 127
Brown, S.J., J.K. Parrish, R.W. Beeman, R.E. Denell, Molecular characterization and embryonic expression of the *even-skipped* ortholog of *Tribolium castaneum* **61**, 165
Bruneau, S., F.M. Rosa, Dynamo, a new zebrafish DVR member of the TGF-β superfamily is expressed in the posterior neural tube and is up-regulated by Sonic hedgehog **61**, 199

Casarosa, S., M. Andreazzoli, A. Simeone, G. Barsacchi, *Xrx1*, a novel *Xenopus* homeobox gene expressed during eye and pineal gland development **61**, 187

Denell, R.E., see Brown, S.J. **61**, 165
Dobias, S.L., L. Ma, H. Wu, J.R. Bell, R. Maxson, The evolution of *Msx* gene function: expression and regulation of a sea urchin Msx class homeobox gene **61**, 37

Ekker, M., see Ellies, D.L. **61**, 23
Ellies, D.L., R.M. Langille, C.C. Martin, M.-A. Akimenko, M. Ekker, Specific craniofacial cartilage dysmorphogenesis coincides with a loss of *dlx* gene expression in retinoic acid-treated zebrafish embryos **61**, 23

Green, J.B.A., see New, H.V. **61**, 175
Griffin-Shea, R., see Guichard, A. **61**, 49
Guichard, A., E. Bergeret, R. Griffin-Shea, Overexpression of RnRacGAP in *Drosophila melanogaster* deregulates cytoskeletal organisation in cellularising embryos and induces discrete imaginal phenotypes **61**, 49

Hogan, B.L.M., see Zhao, G.-Q. **61**, 63
Hughes, S.M., K. Koishi, M. Rudnicki, A.M. Maggs, MyoD protein is differentially accumulated in fast and slow skeletal muscle fibres and required for normal fibre type balance in rodents **61**, 151
Huylebroeck, D., see Meersseman, G. **61**, 127

Itoh, K., S.Y. Sokol, Graded amounts of *Xenopus* dishevelled specify discrete anteroposterior cell fates in prospective ectoderm **61**, 113

Kalcheim, C., see Pruginin-Bluger, M. **61**, 99
Kavka, A.I., see New, H.V. **61**, 175
Koishi, K., see Hughes, S.M. **61**, 151
Kozak, C.A., see Meersseman, G. **61**, 127
Kraft, H., see Meersseman, G. **61**, 127
Krone, P.H., see Lele, Z. **61**, 89

Langille, R.M., see Ellies, D.L. **61**, 23
Lele, Z., P.H. Krone, Expression of genes encoding the collagen-binding heat shock protein (Hsp47) and type II collagen in developing zebrafish embryos **61**, 89
Lerchner, W., D.P. Barlow, Paternal repression of the imprinted mouse *Igf2r* locus occurs during implantation and is stable in all tissues of the post-implantation mouse embryo **61**, 141

Ma, L., see Dobias, S.L. **61**, 37
Maggs, A.M., see Hughes, S.M. **61**, 151
Martin, C.C., see Ellies, D.L. **61**, 23
Maxson, R., see Dobias, S.L. **61**, 37
Meersseman, G., K. Verschueren, L. Nelles, C. Blumenstock, H. Kraft, G. Wuytens, J. Remacle, C.A. Kozak, P. Tylzanowski, C. Niehrs, D. Huylebroeck, The C-terminal domain of Mad-like signal transducers is sufficient for biological activity in the *Xenopus* embryo and transcriptional activation **61**, 127

Nelles, L., see Meersseman, G. **61**, 127
New, H.V., A.I. Kavka, J.C. Smith, J.B.A. Green, Differential effects on *Xenopus* development of interference with type IIA and type IIB activin receptors **61**, 175
Niehrs, C., see Meersseman, G. **61**, 127
Nikaido, M., M. Tada, T. Saji, N. Ueno, Conservation of BMP signaling in zebrafish mesoderm patterning **61**, 75
Nübler-Jung, K., see Arendt, D. **61**, 7

Parrish, J.K., see Brown, S.J. **61**, 165
Pruginin-Bluger, M., D.L. Shelton, C. Kalcheim, A paracrine effect for neuron-derived BDNF in development of dorsal root ganglia: stimulation of Schwann cell myelin protein expression by glial cells **61**, 99

Remacle,, J., see Meersseman, G. **61**, 127
Rosa, F.M., see Bruneau, S. **61**, 199
Rudnicki, M., see Hughes, S.M. **61**, 151

Saji, T., see Nikaido, M. **61**, 75
Shelton, D.L., see Pruginin-Bluger, M. **61**, 99
Simeone, A., see Casarosa, S. **61**, 187
Smith, J.C., see New, H.V. **61**, 175
Sokol, S.Y., see Itoh, K. **61**, 113

Tada, M., see Nikaido, M. **61**, 75
Tylzanowski, P., see Meersseman, G. **61**, 127

Ueno, N., see Nikaido, M. **61**, 75

0925-4773/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved

Verschueren, K., see Meersseman, G. **61**, 127

Wu, H., see Dobias, S.L. **61**, 37
Wuytens, G., see Meersseman, G. **61**, 127

Zhao, G.-Q., B.L.M. Hogan, Evidence that *Mothers-against-dpp-related 1* (*Madr1*) plays a role in the initiation and maintenance of spermatogenesis in the mouse **61**, 63

ELSEVIER

Mechanisms of Development 61 (1997) 219–220

Subject index

Volume 61 (1997)

Actin; RacGAP; *Drosophila melanogaster*; Cellularisation; Imaginal development **61**, 49

Activin receptor; *Xenopus*; Mesoderm induction; Activin **61**, 175

Activin; *Xenopus*; Mesoderm induction; Activin receptor **61**, 175

Anteroposterior axis; Morphogen; Neural induction; Wnt; Organizer **61**, 113

Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Axial mutants; Posterior neural tube; Transforming growth factor-β; *Sonic hedgehog*; Zebrafish **61**, 199

BMP; Zebrafish; Mesoderm patterning; Dorso-ventral polarity **61**, 75

BMP8; *Madr1;* Spermatogenesis; Germ cells; Testis; Fertility **61**, 63

Cartilage; Head skeleton; Homeobox genes; Neural crest; Retinoic acid; Zebrafish **61**, 23

Cellularisation; RacGAP; *Drosophila melanogaster*; Actin; Imaginal development **61**, 49

Circadian rhythms; *Xenopus*; Homeobox gene; Eye and pineal gland development **61**, 187

Collagen type II; Hsp47; Zebrafish; Development **61**, 89

Development; Hsp47; Collagen type II; Zebrafish **61**, 89

Dorsal root ganglion; Avian embryo; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Dorso-ventral polarity; Zebrafish; BMP; Mesoderm patterning **61**, 75

Dorsoventral axis inversion; Fate maps; Gastrulation patterns; Neural body side; Midline cells; Homology **61**, 7

Drosophila melanogaster; RacGAP; Actin; Cellularisation; Imaginal development **61**, 49

Even-skipped; Tribolium; Segmentation; Pair-rule **61**, 165

Eye and pineal gland development; *Xenopus*; Homeobox gene; Circadian rhythms **61**, 187

Fate maps; Gastrulation patterns; Neural body side; Dorsoventral axis inversion; Midline cells; Homology **61**, 7

Fertility; BMP8; *Madr1*; Spermatogenesis; Germ cells; Testis **61**, 63

Fibre type; Muscle; MyoD; Myoblast **61**, 151

Gastrulation patterns; Fate maps; Neural body side; Dorsoventral axis inversion; Midline cells; Homology **61**, 7

Gastrulation; Sea urchin; Homeobox; Msx; Tissue interactions **61**, 37

Germ cells; BMP8; *Madr1*; Spermatogenesis; Testis; Fertility **61**, 63

Glia; Avian embryo; Dorsal root ganglion; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Head skeleton; Cartilage; Homeobox genes; Neural crest; Retinoic acid; Zebrafish **61**, 23

Homeobox gene; *Xenopus*; Eye and pineal gland development; Circadian rhythms **61**, 187

Homeobox genes; Cartilage; Head skeleton; Neural crest; Retinoic acid; Zebrafish **61**, 23

Homeobox; Sea urchin; *Msx*; Tissue interactions; Gastrulation **61**, 37

Homology; Fate maps; Gastrulation patterns; Neural body side; Dorsoventral axis inversion; Midline cells **61**, 7

Hsp47; Collagen type II; Zebrafish; Development **61**, 89

Igf2r; Post-implantation embryo; Paternal repression; Mouse **61**, 141

Imaginal development; RacGAP; *Drosophila melanogaster*; Actin; Cellularisation **61**, 49

Madr1; BMP8; Spermatogenesis; Germ cells; Testis; Fertility **61**, 63

Mesoderm induction; *Xenopus*; Activin; Activin receptor **61**, 175

Mesoderm patterning; Zebrafish; BMP; Dorso-ventral polarity **61**, 75

Midline cells; Fate maps; Gastrulation patterns; Neural body side; Dorsoventral axis inversion Homology **61**, 7

Morphogen; Neural induction; Wnt; Organizer; Anteroposterior axis **61**, 113

Mothers against dpp; Serine-threonine kinase receptors; Signal transduction; Transcription factors; Transforming growth factor-β **61**, 127

Mouse; *Igf2r*; Post-implantation embryo; Paternal repression **61**, 141

0925-4773/97/$17.00 © 1997 Elsevier Science Ireland Ltd. All rights reserved

Msx; Sea urchin; Homeobox; Tissue interactions; Gastrulation **61**, 37

Muscle; MyoD; Fibre type; Myoblast **61**, 151

Myoblast; Muscle; MyoD; Fibre type **61**, 151

MyoD; Muscle; Fibre type; Myoblast **61**, 151

Neural body side; Fate maps; Gastrulation patterns; Dorsoventral axis inversion; Midline cells; Homology **61**, 7

Neural crest; Cartilage; Head skeleton; Homeobox genes; Retinoic acid; Zebrafish **61**, 23

Neural induction; Morphogen; Wnt; Organizer; Anteroposterior axis **61**, 113

Neurotrophin; Avian embryo; Dorsal root ganglion; Glia; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

NGF; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Non-neuronal cells; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

NT-3; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Organizer; Morphogen; Neural induction; Wnt; Anteroposterior axis **61**, 113

p75; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; Schwann cells; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Pair-rule; Tribolium; Segmentation; Even-skipped **61**, 165

Paternal repression; *Igf2r*; Post-implantation embryo; Mouse **61**, 141

Post-implantation embryo; *Igf2r*; Paternal repression; Mouse **61**, 141

Posterior neural tube; Transforming growth factor-β; *Sonic hedgehog*; Zebrafish; Axial mutants **61**, 199

RacGAP; *Drosophila melanogaster*; Actin; Cellularisation; Imaginal development **61**, 49

Retinoic acid; Cartilage; Head skeleton; Homeobox genes; Neural crest; Zebrafish **61**, 23

Schwann cells; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Sensory ganglia; trkA; trkB; trkC; trk fusion proteins **61**, 99

Sea urchin; Homeobox; *Msx*; Tissue interactions; Gastrulation **61**, 37

Segmentation; Tribolium; Even-skipped; Pair-rule **61**, 165

Sensory ganglia; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; trkA; trkB; trkC; trk fusion proteins **61**, 99

Serine-threonine kinase receptors; Mothers against dpp; Signal transduction; Transcription factors; Transforming growth factor-β **61**, 127

Signal transduction; Mothers against dpp; Serine-threonine kinase receptors; Transcription factors; Transforming growth factor-β **61**, 127

Sonic hedgehog; Posterior neural tube; Transforming growth factor-β; Zebrafish; Axial mutants **61**, 199

Spermatogenesis; BMP8; *Madr1*; Germ cells; Testis; Fertility **61**, 63

Testis; BMP8; *Madr1*; Spermatogenesis; Germ cells; Fertility **61**, 63

Tissue interactions; Sea urchin; Homeobox; *Msx*; Gastrulation **61**, 37

Transcription factors; Mothers against dpp; Serine-threonine kinase receptors; Signal transduction; Transforming growth factor-β **61**, 127

Transforming growth factor-β; Posterior neural tube; Sonic hedgehog; Zebrafish; Axial mutants **61**, 199

Transforming growth factor-β; Mothers against dpp; Serine-threonine kinase receptors; Signal transduction; Transcription factors **61**, 127

Tribolium; Segmentation; Even-skipped; Pair-rule **61**, 165

trk fusion proteins; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trkC **61**, 99

trkA; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkB; trkC; trk fusion proteins **61**, 99

trkB; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkC; trk fusion proteins **61**, 99

trkC; Avian embryo; Dorsal root ganglion; Glia; Neurotrophin; Non-neuronal cells; NGF; NT-3; p75; Schwann cells; Sensory ganglia; trkA; trkB; trk fusion proteins **61**, 99

Wnt; Morphogen; Neural induction; Organizer; Anteroposterior axis **61**, 113

Xenopus; Homeobox gene; Eye and pineal gland development; Circadian rhythms **61**, 187

Xenopus; Mesoderm induction; Activin; Activin receptor **61**, 175

Zebrafish; BMP; Mesoderm patterning; Dorso-ventral polarity **61**, 75

Zebrafish; Cartilage; Head skeleton; Homeobox genes; Neural crest; Retinoic acid **61**, 23

Zebrafish; Hsp47; Collagen type II; Development **61**, 89

Zebrafish; Posterior neural tube; Transforming growth factor-β; *Sonic hedgehog*; Axial mutants **61**, 199